

CE alloy steel CO2 fire extinguisher





Safety Plus Industrial Co., Ltd which located in China have years of experience working with CE alloy steel Co2 fire extinguisher manufacturers and exports. As one of the leading supplier of fire fighting equipment, Safety Plus provide Co2 fire extinguisher based on international standard ensuring it's high quality to meet global client's requirements.

Introduction

flammable liquid. The material is made from high quality alloy steel for high pressure carbon dioxide fire extinguishers based on CE standard. It's an ideal clean equipment for computer, generators, and residential electrical device, as it will not leave any residue after they are used.



CE Alloy Steel CO2 Fire Extinguisher



CE Alloy Steel Fire Extinguisher



Features and Advantages

1. CE marked and approved to EN3.
2. Good choice for electrical fires and Class B fires.
3. Alloy steel cylinder for high pressure fire extinguishers.
4. Valve with pressure release mechanism.
5. Clean type fire extinguisher, don't have any residue when they are used..
6. Ideal for offices, schools and hospitals where equipped with many electrical devices.
7. Rechargeable for Long-life use.
8. Complete with special hose and horn for effective discharge.
9. Strong metal bracket for wall mounted.





Specifications

Model No.	SP01-05-1.3AS	SP01-05-2AS	SP01-05-2.3AS	SP01-05-3AS	SP01-05-4AS	SP01-05-4.5AS	SP01-05-5AS	SP01-05-6AS
Agent	1.3kg CO2 gas	2kg CO2 gas	2.3kg CO2 gas	3kg CO2 gas	4kg CO2 gas	4.5kg CO2 gas	5kg CO2 gas	6kg CO2 gas
Material	34CrMo4	34CrMo4	34CrMo4	34CrMo4	34CrMo4	34CrMo4	34CrMo4	34CrMo4
Working pressure	174bar	174bar	174bar	174bar	174bar	174bar	174bar	174bar
Test pressure	250bar	250bar	250bar	250bar	250bar	250bar	250bar	250bar
Volume	1.95L	3L	3.45L	4.5L	6L	6.75L	7.5L	9L
Out diameter	103mm	103mm	103mm	136mm	136mm	136mm	136mm	136mm
Cylinder Length	340mm	470mm	530mm	425mm	540mm	590mm	650mm	765mm
Full weight	4.9kg	6.3kg	6.9kg	9.2kg	11.6kg	12.7kg	13.7kg	15.9kg
Operating temperature	-30°C - +60°C	-30°C - +60°C	-30°C - +60°C	-30°C - +60°C	-30°C - +60°C	-30°C - +60°C	-30°C - +60°C	-30°C - +60°C
Fire Rating	21B	34B	34B	34B	70B	70B	89B	89B



Applications

CE alloy steel CO2 fire extinguisher leaves no residue ideal for electrical fires and Class B fires.

Electrical fire such as computer, generators, electrical machine.

Class B fire, such as flammable liquids, gasoline, diesel oil.

Mostly equipped in plant rooms, offices, hospital, construction site, schools and areas with lots of electrical equipment.

Safety Plus Industrial is a leading manufacturer and trader of fire fighting equipment in China. So far, we are working with overseas partner from over 20 countries. We work hard to supply the highest quality products for our global clients, We have got international quality approvals of EN, ISO 9001, UL, SABS, LPCB etc. We want to be your best choice partner when it comes to the fire safety, fire fighting industrial.

